

PERGO®

VINYL PLANKS & TILES

NEW
2016

modern plank!

new wider & longer format

doubling up on design!

more vinyl designs to choose from

Revinylution!

The new collection of Pergo vinyl floors redefines the category. They may appear to be authentic wood, rich with true-to-life detail. But once you experience their warm, soft touch and the waterproof durability there will be no doubt: Pergo, the inventors of laminate flooring, have once again set a new standard. Step inside and get to know our new collection of vinyl floors. **Welcome!**





GO BIG!

Make your floor even more impressive with our new wider and longer **modern plank**

Forever YOUNG


The new Pergo vinyl floors are not only made to last – **they're made to stay beautiful too!**

Take a closer look

Visit your nearest dealer for a hands-on experience.

the next generation of vinyl flooring

See it to believe it!



Modern plank and a modern style

Bigger really is better when it comes to adding space and volume to a room. With wide, long planks on the floor your home will turn into a whole new place. No wonder it's one of the hottest flooring trends around at the moment. Our new Modern planks allow to create the interior of your dreams. They come in an impressive big, long format – and all feature our new natural-look embossing with outstanding detail.

A true original

Our new Modern plank designs have naturalistic textures that mimics nature perfectly. The natural look is achieved by adding subtle nuances, high contrasts and variations between individual planks. These may sound like small details – and they are – but they make a big difference which further accentuates the natural look of the floor.



We've got news for you!

Having a hard time finding your favourite design? Well, with 16 new vinyl designs that choice has just got harder. Now with 40 different decors to choose from, our offer is broader than ever. The latest additions are all in the Modern plank format, and supplement our previous selection of wood and stone decors.





how much fun

can you take?

Pergo vinyl floors can take plenty, so come on and give it your best shot! And the best part: tomorrow there won't be any sign of the action, so you're all clear to start again!

The new protective top layer TitanV™ efficiently seals the surface, offering improved resistance against staining and soiling, and protection against scratches. The closed surface pays off in many ways. In addition to resisting scratches, it also makes the floor easier to clean. As the ultimate proof of quality, Pergo vinyl floors come with a guarantee of up to 25 years. Vinyl flooring really turns your room into a no-worry zone.



Pick a floor
that grows
on you...



NEW YORK

The paper bag
This bag is made from organic paper. It is 100% natural. 180 g/m² double-layer paper, white kraft layered with brown kraft. Capacity: 33 litres. 100% Ecographik™. Do not throw it away. It is reusable.


DO ALL THINGS WITH LOVE




NORDIC WHITE PINE, PLANK V2131-40072



...especially with
**growing people
in the house!**



LIGHT DANISH OAK, PLANK V2131-40099



DARK HIGHLAND OAK, PLANK V2131-40102

Choose a vinyl floor for its design or its durability. Whatever the reason chances are you'll find new reasons to appreciate your Pergo vinyl floor as the years go by.

A Pergo vinyl floor never folds





PerfectFold™ V

Unlike most vinyl flooring, Pergo vinyl floors are made with a click joint for easy installation.



Our patented click joint PerfectFold™ V was created specifically for vinyl floors and features vertical as well as horizontal locking to make installation both fast and easy. Just fold it down or snap it in place!

PerfectFold™ V is not only easy to use, but strong and reliable as well. Where other vinyl floors might struggle, the strength of PerfectFold™ V will help your floor remain stable.

Maximum protection – minimal impact

As a leading producer of flooring, we are proud to guarantee that our floors are free from harmful phthalates. The reason is simple: we do not add any phthalates to our products. And because we only recycle our own material, no phthalates will make their way into the production process from products made elsewhere, resulting in 100% phthalate-free flooring.

- » 100% phthalate free
- » Very low VOC emissions
- » Waste recycling
- » Energy efficient production





Come rain or shine

Our new vinyl floors are not only resistant to water, they are also prepared for the warmth of the sun. Thanks to a new manufacturing process where we have complete control over every step and all the materials used, we can guarantee stability that exceeds industry standards. For the very first time a vinyl floor with click joints can be installed in areas that face excessive direct heat, e. g. in conservatories, using our special Sunsafe underlay.

It's not vinyl – until you need it to be

A great floor needs to look the part, but it also needs to be prepared for the unpredictabilities of real life – and that's when your vinyl floor really steps up to the plate. If accidents happen, the authentic wood floor you picked for your kitchen »suddenly turns« waterproof to minimise the damage. Of course, a waterproof floor is also easy to clean. Thanks to a protective layer and a sealed surface, dirt can just be wiped off the floor – keeping it not only looking great, but also hygienic!



100%
waterproof





All decors in 2 quality levels



optimum

Very durable floors for use
in commercial applications

- » Class 33
- » TitanV™ scratch, stain and wear resistant layer
- » Fast & easy PerfectFold™ V click system or glue down installation
- » 5-year guarantee for commercial use
- » 25-year guarantee for residential use



premium

Durable floors for
domestic use

- » Class 32
- » TitanV™ scratch, stain and wear resistant layer
- » Fast & easy PerfectFold™ V click system
- » Guarantee for commercial use on request
- » 20-year guarantee for residential use



- 1 Superior TitanV™ layer for scratch, stain and wear resistance
- 2 Fine printed vinyl decor layer
- 3 Highly impact resistant vinyl core
- 4 Extra stabilizing layer containing glass fiber
- 5 Highly impact resistant vinyl backing

It's a revinyolution!

modern plank

glue 1515 x 217 mm
click 1510 x 210 mm
4-way bevel



NORDIC WHITE PINE, PLANK

GLUE ■ V3231-40072
CLICK ■ V3131-40072
CLICK ■ V2131-40072



GREY WASHED OAK, PLANK

GLUE ■ V3231-40082
CLICK ■ V3131-40082
CLICK ■ V2131-40082



GREY RIVER OAK, PLANK

GLUE ■ V3231-40084
CLICK ■ V3131-40084
CLICK ■ V2131-40084



SEASIDE OAK, PLANK

GLUE ■ V3231-40107
CLICK ■ V3131-40107
CLICK ■ V2131-40107



LIGHT WASHED OAK, PLANK

GLUE ■ V3231-40079
CLICK ■ V3131-40079
CLICK ■ V2131-40079



LIGHT DANISH OAK, PLANK

GLUE ■ V3231-40099
CLICK ■ V3131-40099
CLICK ■ V2131-40099



LIGHT VILLAGE OAK, PLANK

GLUE ■ V3231-40095
CLICK ■ V3131-40095
CLICK ■ V2131-40095



BEIGE WASHED OAK, PLANK

GLUE ■ V3231-40080
CLICK ■ V3131-40080
CLICK ■ V2131-40080



SAND BEACH OAK, PLANK

GLUE ■ V3231-40103
CLICK ■ V3131-40103
CLICK ■ V2131-40103



LIGHT HIGHLAND OAK, PLANK

GLUE ■ V3231-40100
CLICK ■ V3131-40100
CLICK ■ V2131-40100



NATURAL VILLAGE OAK, PLANK

GLUE ■ V3231-40096
CLICK ■ V3131-40096
CLICK ■ V2131-40096



BRITISH OAK, PLANK

GLUE ■ V3231-40098
CLICK ■ V3131-40098
CLICK ■ V2131-40098



NATURAL HIGHLAND OAK, PLANK

GLUE ■ V3231-40101
CLICK ■ V3131-40101
CLICK ■ V2131-40101



DARK HIGHLAND OAK, PLANK

GLUE ■ V3231-40102
CLICK ■ V3131-40102
CLICK ■ V2131-40102



DARK RIVER OAK, PLANK

GLUE ■ V3231-40086
CLICK ■ V3131-40086
CLICK ■ V2131-40086



BLACK CITY OAK, PLANK

GLUE ■ V3231-40091
CLICK ■ V3131-40091
CLICK ■ V2131-40091

classic plank

glue 1256 x 194 mm
click 1251 x 187 mm
4-way bevel



NORDIC WHITE OAK, PLANK

GLUE ■ V3201-40020
CLICK ■ V3107-40020
CLICK ■ V2107-40020



MODERN GREY OAK, PLANK

GLUE ■ V3201-40017
CLICK ■ V3107-40017
CLICK ■ V2107-40017



SOFT GREY OAK, PLANK

GLUE ■ V3201-40036
CLICK ■ V3107-40036
CLICK ■ V2107-40036



LIGHT GREY CHALET PINE, PLANK

GLUE ■ V3201-40054
CLICK ■ V3107-40054
CLICK ■ V2107-40054



GREY CHALET PINE, PLANK

GLUE ■ V3201-40055
CLICK ■ V3107-40055
CLICK ■ V2107-40055



WARM GREY MANSION OAK, PLANK

GLUE ■ V3201-40015
CLICK ■ V3107-40015
CLICK ■ V2107-40015



GREY HERITAGE OAK, PLANK

GLUE ■ V3201-40037
CLICK ■ V3107-40037
CLICK ■ V2107-40037



TAUPE MANSION OAK, PLANK

GLUE ■ V3201-40016
CLICK ■ V3107-40016
CLICK ■ V2107-40016



MODERN NATURE OAK, PLANK

GLUE ■ V3201-40018
CLICK ■ V3107-40018
CLICK ■ V2107-40018



CLASSIC NATURE OAK, PLANK

GLUE ■ V3201-40023
CLICK ■ V3107-40023
CLICK ■ V2107-40023



GOLDEN NATURE OAK, PLANK
GLUE ■ V3201-40022
CLICK ■ V3107-40022
CLICK ■ V2107-40022



ECRÚ MANSION OAK, PLANK
GLUE ■ V3201-40013
CLICK ■ V3107-40013
CLICK ■ V2107-40013



LIGHT NATURE OAK, PLANK
GLUE ■ V3201-40021
CLICK ■ V3107-40021
CLICK ■ V2107-40021




BROWN CHALET PINE, PLANK
GLUE ■ V3201-40056
CLICK ■ V3107-40056
CLICK ■ V2107-40056



NATURE MANSION OAK, PLANK
GLUE ■ V3201-40014
CLICK ■ V3107-40014
CLICK ■ V2107-40014



MODERN COFFEE OAK, PLANK
GLUE ■ V3201-40019
CLICK ■ V3107-40019
CLICK ■ V2107-40019



tile

glue 1305 x 327 mm
 click 1300 x 320 mm
 4-way bevel



LIGHT CONCRETE
GLUE ■ V3218-40049
CLICK ■ V3120-40049
CLICK ■ V2120-40049



WARM GREY CONCRETE
GLUE ■ V3218-40050
CLICK ■ V3120-40050
CLICK ■ V2120-40050



DARK GREY CONCRETE
GLUE ■ V3218-40051
CLICK ■ V3120-40051
CLICK ■ V2120-40051



OXIDIZED METAL CONCRETE
GLUE ■ V3218-40045
CLICK ■ V3120-40045
CLICK ■ V2120-40045



CREAM TRAVERTIN
GLUE ■ V3218-40046
CLICK ■ V3120-40046
CLICK ■ V2120-40046



LIGHT GREY TRAVERTIN
GLUE ■ V3218-40047
CLICK ■ V3120-40047
CLICK ■ V2120-40047



GREY SCIVARO SLATE
GLUE ■ V3218-40034
CLICK ■ V3120-40034
CLICK ■ V2120-40034



BLACK SCIVARO SLATE
GLUE ■ V3218-40035
CLICK ■ V3120-40035
CLICK ■ V2120-40035

fast & easy installation

The PerfectFold™ V click system was created specifically for the new Pergo vinyl floors. It features vertical as well as horizontal locking. The double locking gives the Pergo floor unique stability, and thanks to the new click system, installation is both fast and easy – faster than any vinyl floor on the market. Simply choose one of the three installation methods, and snap the floor into place!

The new click system eliminates the need for transition profiles for installation next to doors. Thanks to the horizontal and vertical locking, there are no height differences or open joints. In fact, Pergo vinyl flooring offers unlimited installation in both length and width without expansion profiles of any kind which gives your room a clean and modern look.

And if you need to, the PerfectFold™ V system means the floor can be easily removed and reused.



Drop down

The ideal method for quickly installing a large area. Click the plank at the long side joint, slide it until it meets the end of the previously installed plank, and press down.



Insert horizontally


Unlike many other brands, Pergo vinyl floors can also be inserted horizontally using our installation tool (don't use a hammer, it may damage the click joint). This is a handy option for places where it is difficult or impossible to tilt the planks (when installing the last row of planks, or under door frames and radiators).



Angle

If you prefer, Pergo offers a third option for installing your new vinyl floor. Simply angle, and click the planks together at the short end.


aesthetics



Wallbase


PGVSKRA(-), 2000 x 9 x 48 mm, for Classic Planks and Tiles
 PGVSKRB(-), 2000 x 9 x 55 mm, for Modern Planks
 (see matching matrix for correct art no)

New! Waterproof skirting board to hide expansion joints and protect walls. Perfect match to the floor in colour, structure and gloss.
 Colour: colour matched.
 Surface: extremely wear resistant vinyl top layer, waterproof.
 Core: MDF.
 Patent pending.



Wallbase, paintable PGVSKRPAINT

Waterproof, paintable skirting board to hide expansion joints and protect walls.
 2400 x 8 x 55 mm.
 Colour: white & paintable.
 Surface: wear resistant PVC foil with water-resistant finish.
 Core: MDF.




Combi moulding, aluminium PGPRSILV

The Pergo multifunctional profile can level height differences for a smooth transition on to any other type of floor.
 Suitable for height differences of 0 - 12.3 mm.
 1860 x 10 x 47 mm.
 Colour: silver.
 Surface: aluminium.



Expansion profile PGVEXPSILV

Finish off your click floor perfectly.
 Available in wear resistant aluminium.
 2000 x 7 x 24 mm.
 Colour: silver.




Adapter profile PGVADPSILV

Finish off your click floor perfectly.
 Available in wear resistant aluminium.
 2000 x 7 x 26 mm.
 Colour: silver.



End profile PGVENPSILV


Finish off your click floor perfectly.
 Available in wear resistant aluminium.
 2000 x 7 x 18 mm.
 Colour: silver.






Stair nose, click
PGVSTPCLICK

For installation of Pergo click vinyl on stairs and steps. Always glue the floor panels for your safety!
2000 x 30 x 15 mm.
Colour: silver.




Stair nose, outer
PGVSTPGLUE

For installation of Pergo glue vinyl on stairs and steps.
2000 x 40 x 26 mm.
Colour: silver.



Stair nose, inner
PGVSTPINGLUE

For installation of Pergo glue vinyl on stairs and steps.
2500 x 25 x 25 mm.
Colour: silver.



underlays



Underlay basic
PGVUDLB15

Easy to install basic underlay specially developed for Pergo vinyl floors. Good sound absorbent and prevents irregularities. Perfectly suitable for floor heating and cooling. 15 m² / pack. Thickness: 1 mm.



Sunsafe Underlay
PGVUDLSS10

For areas that are subject to excessive direct heat or extreme temperature variations. (E. g. conservatories, glass houses or summer cabins.) 10 m² / pack. Thickness: 1.5 mm.

installation



Installation tool
PGVTOOL

Excellent tool for precise cutting straight and 90°. Hand protection with pullbar and lever function. Suited for both left and right handed.



Cutter knife
PGVKNIFE

Professional knife, perfect for precised and stable cutting. Ideal for cutting curves and shapes. 10 blades are included.



Glue
PGVGLUE6, 6 kg (+/- 20 m²)
PGVGLUE15, 15 kg (+/- 50 m²)

Professional glue, specially developed for Pergo vinyl floors. Spreads easily, guarantees fast adhesion and offers the highest strength.



Glue trowel
PGVA2

Ensures perfect glue consumption per m².



Multiglu
PGGLUE290

290 ml. Suitable for all materials and substrates. Cures quickly with very high final strength. Ideal for installing wallbases and mouldings. Hybrid polymer. One tube gives 15 running meters of skirting.



Sealant
PGKIT(-)

310 ml. For a beautiful finish. Available in 8 colours. Water based acrylic.



Radiator caps

PGRCINOX15

Inner diameter: 15 mm. Outer diameter: 54 mm.

PGRCINOX22

Inner diameter: 22 mm. Outer diameter: 54 mm.

Stainless steel. 2 pc / pack.

maintenance



Vinyl floor cleaning

PGVCLEANING1000

1000 ml. Protects the TitanV™ top protective layer. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Cleaning kit

PGCLEANINGKIT

PGCLEANINGMOP, separate mop cloth

High quality mop set with extra long ergonomic handle and a mop cloth holder.



Repair wax

PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours covering the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com.

cleaning instructions

General maintenance

Vinyl floors are easy to live with, but as with most things, it needs regular cleaning to stay beautiful. The innovative surface layer with TitanV™ makes a specific treatment after installation unnecessary, and your floor can easily be cleaned with a broom, vacuum cleaner, or a damp mop. We recommend that you always use a non-aggressive maintenance product, like Pergo vinyl cleaner that maintains the original look of your floor. Do not leave a puddle of water on the floor.

Periodic cleaning and maintenance

Clean the floor routinely by sweeping, vacuum cleaning or damp wiping. Always remove immediately grit, sharp objects, staining agents, moisture or aggressive substances from the floor.

PLEASE NOTE: Never use aggressive cleaning agents, soap or abrasive cleaners or cleaners containing oil or waxes.


Stain removal

Pergo vinyl floors are very resistant against staining and soiling. However it's always recommendable to remove stains as fast as possible. The longer spilled materials are left on the floor, the greater the risk of permanently staining. Persistent stains may be removed using Pergo vinyl cleaner.

Industrial cleaning

In order to increase resistance and enhance cleaning properties of the flooring for commercial application, an appropriate sealer can be applied according to the instructions of the manufacturer of this product.

matching matrix



optimum GLUE	optimum CLICK	premium CLICK	Art. nr / Decor	Wallbase 9 x 48 PGVSKRA(-)	Wallbase 9 x 55 PGVSKRB(-)	Sealant 310 ml PGKIT(-)
V3201-40013	V3107-40013	V2107-40013	Ecru mansion oak, plank	40013		03
V3201-40014	V3107-40014	V2107-40014	Nature mansion oak, plank	40014		04
V3201-40015	V3107-40015	V2107-40015	Warm grey mansion oak, plank	40015		04
V3201-40016	V3107-40016	V2107-40016	Taupe mansion oak, plank	40016		08
V3201-40017	V3107-40017	V2107-40017	Modern grey oak, plank	40017		03
V3201-40018	V3107-40018	V2107-40018	Modern nature oak, plank	40018		03
V3201-40019	V3107-40019	V2107-40019	Modern coffee oak, plank	40019		08
V3201-40020	V3107-40020	V2107-40020	Nordic white oak, plank	40020		01
V3201-40021	V3107-40021	V2107-40021	Light nature oak, plank	40021		03
V3201-40022	V3107-40022	V2107-40022	Golden nature oak, plank	40022		04
V3201-40023	V3107-40023	V2107-40023	Classic nature oak, plank	40023		05
V3201-40036	V3107-40036	V2107-40036	Soft grey oak, plank	40036		02
V3201-40037	V3107-40037	V2107-40037	Grey heritage oak, plank	40037		02
V3201-40054	V3107-40054	V2107-40054	Light grey chalet pine, plank	40054		02
V3201-40055	V3107-40055	V2107-40055	Grey chalet pine, plank	40055		02
V3201-40056	V3107-40056	V2107-40056	Brown chalet pine, plank	40056		04
V3218-40034	V3120-40034	V2120-40034	Grey Scivaro slate	40034		02
V3218-40035	V3120-40035	V2120-40035	Black Scivaro slate	40035		02
V3218-40045	V3120-40045	V2120-40045	Oxidized metal concrete	40045		08
V3218-40046	V3120-40046	V2120-40046	Cream travertin	40046		03
V3218-40047	V3120-40047	V2120-40047	Light grey travertin	40047		02
V3218-40049	V3120-40049	V2120-40049	Light concrete	40049		01
V3218-40050	V3120-40050	V2120-40050	Warm grey concrete	40050		02
V3218-40051	V3120-40051	V2120-40051	Dark grey concrete	40051		02
V3231-40072	V3131-40072	V2131-40072	Nordic white pine, plank		40072	01
V3231-40079	V3131-40079	V2131-40079	Light washed oak, plank		40079	01
V3231-40080	V3131-40080	V2131-40080	Beige washed oak, plank		40080	01
V3231-40082	V3131-40082	V2131-40082	Grey washed oak, plank		40082	02
V3231-40084	V3131-40084	V2131-40084	Grey river oak, plank		40084	02
V3231-40086	V3131-40086	V2131-40086	Dark river oak, plank		40086	02
V3231-40091	V3131-40091	V2131-40091	Black city oak, plank		40091	08
V3231-40095	V3131-40095	V2131-40095	Light village oak, plank		40095	03
V3231-40096	V3131-40096	V2131-40096	Natural village oak, plank		40096	04
V3231-40098	V3131-40098	V2131-40098	British oak, plank		40098	06
V3231-40099	V3131-40099	V2131-40099	Light Danish oak, plank		40099	01
V3231-40100	V3131-40100	V2131-40100	Light highland oak, plank		40100	03
V3231-40101	V3131-40101	V2131-40101	Natural highland oak, plank		40101	04
V3231-40102	V3131-40102	V2131-40102	Dark highland oak, plank		40102	04
V3231-40103	V3131-40103	V2131-40103	Sand beach oak, plank		40103	02
V3231-40107	V3131-40107	V2131-40107	Seaside oak, plank		40107	01



technical guide

		optimum		premium
Features		GLUE	CLICK	CLICK
Protective top layer against scratch, stain and wear		TitanV™	TitanV™	TitanV™
Installation method		Glue	PerfectFold™ V	PerfectFold™ V
Water resistant		•	•	•
Thickness		2.5 mm	4.5 mm	4.5 mm
Guarantee against water, wear and delamination (residential use)		25 years	25 years	20 years
Guarantee against water, wear and delamination (commercial use)		5 years (up to 15 yrs on request)	5 years (up to 15 yrs on request)	on request (up to 10 yrs)
Technical		Test method/standard		
Class of use	EN 649 / EN 16511 (33 – 32)	33	33	32
Resistance to furniture leg	EN 424	No damage	No damage	No damage
Resistance to castor chair	ISO 4918	No damage 25000 cyc	No damage 25000 cyc	No damage 25000 cyc
Fire classification	EN 13501-1	Bfl-S1	Bfl-S1	Bfl-S1
Impact sound reduction (without underlay)	ISO 712-2	2 dB	4 dB	4 dB
Impact sound reduction (with Pergo Basic underlay)	ISO 712-2		17 dB	17 dB
Impact sound reduction (with Pergo Sunsafe underlay)			15 dB	15 dB
Thermal resistance (without underlay)	EN 12667	0.010 m² K/W	0.015 m² K/W	0.015 m² K/W
Thermal resistance (with Pergo Basic underlay)	EN 12667		0.044 m² K/W	0.044 m² K/W
Thermal resistance (with Pergo Sunsafe underlay)			0.025 m² K/W	0.025 m² K/W
Formaldehyde emission	EN 14041	E1	E1	E1
Slip resistance	EN 13893	Class DS	Class DS	Class DS
Slip resistance	DIN 51130	R9	R9	R9
Dimensional stability	ISO 23999		<0.05%	<0.05%
Wear resistance	ISO 24388-A	>4400 cycles	>4400 cycles	>2400 cycles

optimum

	length (mm)	width (mm)	thickness (mm)	panels/-pack	m²/-pack	kg/-pack	pack/pallet	m²/pallet
GLUE								
V3231-xxxxx modern plank, 4V	1515	217	2.5	11	3.616	15.697	48	173.58
V3201-xxxxx classic plank, 4V	1256	194	2.5	15	3.655	16.900	52	190.06
V3218-xxxxx tile, 4V	1305	327	2.5	9	3.841	16.671	52	199.71
CLICK								
V3131-xxxxx modern plank, 4V	1510	210	4.5	7	2.220	17.200	48	106.55
V3107-xxxxx classic plank, 4V	1251	187	4.5	9	2.105	16.800	52	109.48
V3120-xxxxx tile, 4V	1300	320	4.5	5	2.080	16.667	52	108.16

premium

	length (mm)	width (mm)	thickness (mm)	panels/-pack	m²/-pack	kg/-pack	pack/pallet	m²/pallet
CLICK								
V2131-xxxxx modern plank, 4V	1510	210	4.5	7	2.220	17.200	48	106.55
V2107-xxxxx classic plank, 4V	1251	187	4.5	9	2.105	16.800	52	109.48
V2120-xxxxx tile, 4V	1300	320	4.5	5	2.080	16.667	52	108.16



SAND BEACH OAK, PLANK V2131-40103



EASY INSTALLATION The PerfectFold™ V system makes installation quick and easy. Just fold the planks into place using one of the three methods, and you'll be done in no time.



FIRE RESISTANCE Pergo vinyl floors have a natural high resistance to fire. They are designed to meet all European requirements for installation in escape routes and assembly halls.



WEAR PROTECTION The surface of Pergo vinyl offers a multi-layer protective floor finish. The protective TitanV™ layer provides scratch, stain and wear resistance and easy maintenance.



WATER RESISTANCE Our Moisture Resistance System combines the properties of the core with a strong and tight click joint. This gives Pergo vinyl floors some of the best moisture-resistance properties on the market.



SOUND REDUCTION The soft vinyl floor reduces step noise and provides a quiet and comfortable walking experience.



HYGIENIC A Pergo vinyl floor improves hygiene and makes it easier to maintain a clean home. The sealed surface prevents bacteria, and helps reduce the amount of cleaning chemicals you need.



IMPACT RESISTANCE Pergo's vinyl surface is multi-layer build-up. In combination with the dense core material it gives the floor a very high impact resistance and a low residual indentation, protecting your floor from potential damage.



EASY MAINTENANCE The Pergo TitanV™ protective layer is resistant to dirt and offers you low maintenance and effortless cleaning. The solid design of the click joints also keeps dirt from penetrating the joint.



CASTOR CHAIR The multi-layer build-up of Pergo vinyl in combination with the properties of the core are designed to withstand damage from castor chairs.





pergo.com

PERGO[®]

UNILIN bvba, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium, Europe

